

STEVENS FIREARMS



Trade Mark
Registered.

See Revised Price List
For Quotation.

J. Stevens Arms Company

CHICOPEE FALLS, MASS.

U. S. A.

Owned and Operated by
SAVAGE ARMS CORP., NEW YORK

www.368thfightergroup.com

STEVENS FIREARMS

REPEATING SHOTGUNS

DOUBLE BARREL SHOTGUNS,
HAMMER AND HAMMERLESS

SINGLE BARREL SHOTGUNS,
HAMMER AND HAMMERLESS

SINGLE SHOT RIFLES

REPEATING RIFLES

TELESCOPE SIGHTS

GUN CLEANERS

RIFLE CLEANING RODS

J. STEVENS ARMS
COMPANY
CHICOPEE FALLS, MASS., U. S. A.

Export Office, 50 Church St.,
New York City, U. S. A.

TRADE MARK

— **STEVENS** —

REG. U. S. PAT. OFF. & FGN.

THIS CATALOG SUPERSEDES ALL PREVIOUS EDITIONS.

Shipments to Wholesale and Retail Distributors are
F. O. B. Chicopee Falls, Mass.

It is the desire of this Company that STEVENS
firearms shall be readily procurable of every sporting
goods and hardware dealer. *Where STEVENS fire-
arms are not sold by dealers, we will,* upon order accom-
panied by catalog price, ship to any individual
transportation prepaid to any express or parcel post
station in United States, Possessions of United States,
Canada, or other country having parcel post arrange-
ments with United States. Shipments will not be
sent C. O. D.

Remittances should be made by Post Office or
Express Money Order, or by New York Draft. Private
checks will not be accepted. For amounts less than
\$1.00, stamps properly wrapped in dry or oiled paper
will be accepted. It is not safe to send currency or
coin in a letter.

Parcel Post: For Parcel Post provisions, see your
local postmaster. Parcel post shipments will be
insured if requested and remittance made to include
insurance. We entertain no claims for uninsured
shipments.

Packages for Foreign Countries will be mailed
subject to Foreign Post Office regulations.


Goods Shipped to Us should be sent by parcel
post or *prepaid* via the American Express Company,
or in its care.

Firearms Sent Us by Express should be boxed,
or well wrapped and tied to a board.

All Packages Sent Us should be plainly marked
with name and address of shipper, and all express
charges must be prepaid.

STEVENS REPEATING SHOTGUNS

www.368thfightergroup.com



"Trap Shooter" Grade

No. 522 Take-Down 12 gauge Weight about $7\frac{3}{4}$ lbs. Price \$72.50

Barrel — High pressure compressed steel, bored for nitro powder; full choked; hollow matted rib; length 28, 30 or 32 inches. 30" barrel always furnished unless otherwise specified.

Action — HAMMERLESS; visible locking block; safety firing pin; independent safety; side ejection.


Receiver — Drop forged; solid breech; matted top.

Stock — Fancy walnut, checkered; straight grip; rubber butt plate; length 14", drop at comb $1\frac{1}{2}$ ", drop at heel $2\frac{1}{2}$ "; fancy walnut slide handle, checkered. **No Deviation.**

Ammunition — Any standard factory loaded shell up to $2\frac{1}{2}$ " in length.

2

STEVENS REPEATING SHOTGUNS



Browning's Patent

No. 520 Take-Down 12 gauge Weight about $7\frac{3}{4}$ lbs. Price \$52.50

Barrel — High pressure compressed steel, bored for nitro powder; full choked, modified or cylinder; full choked unless otherwise specified; length, 26, 28, 30 or 32 inches.

Action — HAMMERLESS; visible locking block; safety firing pin; independent safety; side ejection.

Receiver — Drop forged; solid breech.


Stock — Plain walnut; pistol grip; rubber butt plate; length, $13\frac{3}{4}$ inches, drop $2\frac{5}{8}$ inches.

Ammunition — Any standard factory loaded shell up to $2\frac{1}{4}$ inches in length.

3

Stevens Double Barrel Hammerless Shotguns

Barrel and lug forged
in one solid piece.



Check hook takes strain from
hinge pin. Fore-end fastening
takes up all wear.

No. 335

12 or 16 gauge

Price \$37.50

Barrels — High pressure compressed steel, bored for nitro powder; right barrel modified, left barrel full choked; matted rib; length, 26, 28, 30 or 32 inches.

Action — HAMMERLESS; top lever and bolt in one piece locking through extension rib; spiral main-springs; check hook; automatic safety.

Frame — Case-hardened. Scroll ornament.

Stock — Walnut, checkered pistol grip; rubber butt plate; length 14 inches, drop about 3 inches; fore-end, checkered. **No Deviation.**

Weight — 12 gauge, 26 to 32 inches, 7½ to 8½ lbs.
16 gauge, 26 to 32 inches, 7½ to 8 lbs.

Ammunition — Any standard factory loaded shell.

4

www.368thfightergroup.com

Stevens Double Barrel Hammerless Shotguns

Barrel and lug forg
one solid piece



Check hook takes strain from
hinge pin. Fore-end fastening
takes up all wear.

No. 345

“The Sportsman’s Ideal”

20 gauge only

Price \$40.00

Barrels — 20 gauge, compressed forged high pressure steel, tested with nitro powder; right barrel modified, left barrel full choked; matted rib; length, 26, 28 or 30 inches; chambered for 2½ inch shells.

Frame — Special light weight, 20 gauge; case-hardened. Scroll ornament.

Action — HAMMERLESS; check hook; top snap;

automatic safety; absolutely new type of mechanism with **ROLLER BEARINGS**, making this the easiest operating hammerless gun on the market.

Stock — Walnut, pistol grip, checkered; patent fore-end, checkered; rubber butt plate. Length 13½ inches; drop about 3 inches. **No Deviation.**


Weight — about 6 lbs.

5

Stevens Double Barrel Hammer Shotguns

Check hook takes strain from hinge pin. Fore-end fastening takes up all wear.

Barrel and lug forged in one solid piece.



No. 235

12 or 16 gauge

Price \$30.00

Barrels — High pressure compressed steel, bored for nitro powder; right barrel modified, left barrel full choked; matted rib; length 26, 28, 30 or 32 inches.

Action — Top lever and bolt in one piece locking through extension rib; check hook; low circular hammers; rebounding locks; coil mainsprings.

Frame — Case-hardened. Scroll ornament.


Stock — Walnut, checkered pistol grip; rubber butt plate; length 14 inches; drop about 3 inches; fore-end checkered. **No Deviation.**

Weight — 12 gauge, 26 to 32 inches, 7½ to 8¼ lbs.
16 gauge, 26 to 32 inches, 7½ to 8 lbs.

Ammunition — Any standard factory loaded shell.

6

"Riverside Arms Co." Double Barrel Hammerless Shotguns



www.368thfightergroup.com

No. 315

12 or 16 gauge

Price \$32.50

Barrels — Blued; tested for nitro powder; matted top rib; right barrel modified; left barrel full choked; barrel and lug in one piece, forged from a solid bar of steel; brazed fore-end lug; length, 12 gauge, 28, 30 or 32 inches; 16 gauge, 26, 28 or 30 inches.

Action — HAMMERLESS; top lever and bolt in one piece; coil springs.


Frame — Case-hardened.

Stock — Pistol grip, checkered; rubber butt plate; length 14 inches; drop 3 to 3½ inches; spring fore-end, checkered.

Weight — 12 gauge, 28 to 32 inches, 7½ to 7¾ lbs.;
16 gauge, 26 to 30 inches, 7¼ to 7½ lbs.

7

"Riverside Arms Co." Double Barrel Hammer Shotguns



www.368thfightergroup.com

No. 215

12 or 16 gauge

Price \$25.00

Barrels—Blued; tested for nitro powder; matted top rib; right barrel modified; left barrel full choked; barrel and lug in one piece, forged from a solid bar of steel; brazed fore-end lug; length, 12 gauge, 28, 30 or 32 inches; 16 gauge, 26, 28 or 30 inches.

Action—Top lever and bolt in one piece; low circular hammers; rebounding locks; coil springs.


Frame—Case-hardened.

Stock—Pistol grip, checkered; rubber butt plate; length 14 inches; drop 3 to 3½ inches; spring fore-end, checkered.

Weight—12 gauge, 28 to 32 inches, 7½ to 8½ lbs.; 16 gauge, 26 to 30 inches, 7½ to 7¾ lbs.

8

STEVENS SINGLE SHOT TARGET PISTOL



The grip affords comfortable hold and perfect balance

No. 10

.22 L. R. Caliber

Price \$23.00

Barrel—Blued, length 8 inches; tip-up action.

Frame—Blued.


Action—Single.

Sights—Open Front; open rear with elevation and windage adjustments. Distance between sights 10 inches.

Stock—Hard rubber, checkered. Length over all—11½ in.

9

STEVENS SINGLE BARREL TRAP GUNS



No. 183

Weight about $8\frac{1}{2}$ lbs.

12 gauge only

Write for information

Barrel—Compressed forged steel, hollow tapered; hollow Matted Rib; bored for nitro powder; full choked; length 30 or 32 inches. Chambered for $2\frac{3}{4}$ " shells.

Action—HAMMERLESS; top snap; positive shell extractor.

Frame—Blued; drop forged.

Stock—Walnut, finely checkered; straight grip; Silver's pattern recoil pad; length 14 inches; drop $2\frac{1}{4}$ " at heel, $1\frac{1}{2}$ " at comb; scored walnut fore-end, spring fastening and positive lock.

Ammunition—Any standard factory loaded shell.

10

Stevens Single Barrel Hammerless Shotguns



www.368thfightergroup.com

No. 181

12, 16, 20 and .410 or 12 m/m gauge

Weight about $7\frac{1}{2}$ lbs.

Write for information

Barrel—Compressed forged steel, hollow tapered; bored for nitro powder; full choked; length, 12 gauge, 26, 28, 30, 32 inches; 16 and 20 gauge, 26, 28, 30 inches; .410 gauge, 28 inch only.

Action—HAMMERLESS; top snap; automatic safety. Positive extractor.

Frame—Drop forged, with scroll ornamenting.

Stock—Walnut, finely checkered; full pistol grip; capped; rubber butt plate; length 14 inches; drop $2\frac{1}{2}$ inches; checkered walnut fore-end, spring fastening.

Ammunition—Any standard factory loaded shell.

11

STEVENS SINGLE BARREL SHOTGUNS



www.368thfightergrout.com

No. 125

Weight about 5¾ lbs.

“Ladies’ Model”

Price \$17.50

Not made in 12 gauge

Barrel — Compressed forged high pressure steel; hollow tapered; barrel and lug one piece; full choked; 16, 20 or 28 gauge; length, 26, 28, 30 or 32 inches. .410 gauge, length, 26 inches.

Action — Top snap; automatic ejector.

Frame — Case hardened.


Stock — Walnut; finely checkered; full pistol grip, capped; rubber butt plate; length 13½ inches. Fore-end is finely checkered and has spring fastening to take up wear and keep the gun tight.

Ammunition — Any standard factory loaded shell.

12

STEVENS SINGLE BARREL SHOTGUNS

Every STEVENS gun has spring fore-end fastening to take up wear and keep the gun tight.



No. 115

12, 16, 20, 28 and .410 gauge

Price \$15.75

Weight about 6 lbs.

Barrel — Compressed forged steel, hollow tapered; bored for nitro powder; full choked; length 26, 28, 30 or 32 inches. .410 gauge, 26 inches only. 12 and 16 gauge with 34-inch barrels, extra \$0.50; 36-inch barrels, extra \$1.00

Action — Top snap; low rebounding hammer; auto-

matic ejector.

Frame — Case-hardened.

Stock — Walnut, full pistol grip, checkered; capped; rubber butt plate; length 12 or 16 gauge, 14 inches; 20 or 28 gauge, 18¼ inches; walnut fore-end, checkered.

Ammunition — Any standard factory loaded shell.

13

STEVENS SINGLE BARREL SHOTGUNS

STEVENS guns
do not shoot loose.



No. 105

12, 16, 20, 28 and .410 gauge Weight, about 6 lbs. Price \$12.50

Barrel — Compressed forged steel, hollow tapered; bored for nitro powder; full choked; length 26, 28, 30 or 32 inches. .410 gauge, 26 inches only.

12 and 16 gauge guns with 34-inch barrels, extra \$0.50; 36-inch barrels, extra \$1.00.

Action — Top snap; low rebounding hammer.

No. 107 Same as above but with Automatic Ejector

Frame — Case-hardened.

Stock — Walnut; pistol grip; rubber butt plate; length, 12 or 16 gauge, 14 inches; 20, 28 or .410 gauge, 13½ inches; spring fore-end attachment.

Ammunition — Any standard factory loaded shell.

Price \$13.00

14

STEVENS SINGLE BARREL SHOTGUNS



No. 106 FEATHERWEIGHT

.44, .410 or 12 m/m, 14 m/m, or 32 Bore; Weight about 4½ lbs. Price \$12.50

Barrel — Compressed forged steel, hollow tapered; bored for nitro powder.

Length — 26 inches in .44 and .410 Bore; 30 inches in .410 or 12 m/m and 14 m/m or 32 Bore.

Frame — Case-hardened.

Stock — Walnut; pistol grip; rubber butt plate; length 13½ inches; spring fore-end attachment.

Action — Top snap; rebounding hammer.

Ammunition — Any standard 2" or 2½" loaded shell.

No. 108 Same as No. 106 except with Automatic Ejector

Price \$13.00

15

STEVENS SINGLE BARREL SHOTGUNS

A well-balanced
Heavy Gun



"Dread Naught"

No. 85

12 gauge only Weight $7\frac{1}{2}$ lbs. Price **\$15.00**

Barrel — Extra Heavy Breech; water table; compressed forged steel, tapered; bored for nitro powder; full choked; length 28, 30 or 32 inches; 34" barrels, \$0.50 extra; 36" barrels, \$1.00 extra.

Action — Top snap; rebounding hammer.

No. 89 Same as No. 85 but with Automatic Ejector

16


Frame — Extra Heavy; case-hardened.

Stock — Plain walnut; pistol grip; rubber butt plate; length 14 inches; spring fore-end; metal joint.

Ammunition — Any standard factory loaded shell.

Price **\$16.00**

STEVENS REPEATING RIFLES



"Visible Loading"

ACCURACY is a distinguishing feature of every STEVENS Rifle


"Visible Loading"—You know when it is loaded, and you know when it is empty.

No. 70 For .22 long rifle, .22 long or .22 short rim-fire cartridges. No. 203
Rocky Mountain front and No. 112 Sporting rear sights . . .

Price **\$19.00**

SPECIFICATIONS — 22-inch round barrel; blued frame; walnut stock; rubber butt plate; extreme length 37 inches; weight $4\frac{1}{2}$ lbs. Magazine holds eleven .22 long rifle, thirteen .22 long, or fifteen .22 short rim-fire cartridges. Can be furnished with Peep Front and Tang Sights — extra.

STEVENS SINGLE SHOT RIFLES



www.368thfightergroup.com

“Ideal”

No. 44 .22 L.R., 25 R.F. and .32 R.F. Caliber. Take-Down Price \$25.00

Weight 7 lbs.

Barrel — Round; length 26 inches.

Frame — Case-hardened.


Action — AUTOMATIC EJECTOR in .22 caliber only.

Stock — Walnut; length 13 inches; drop 3 inches; No. 1 steel butt plate; walnut fore-end.

Sights — No. 203 Rocky Mountain front and No. 112 sporting rear. Tang is tapped for peep sight. (No allowance made for regular sights when furnished with special sights.) Any No. 1 or No. 3 Telescope can be fitted.

18

STEVENS SINGLE SHOT RIFLES



The Most Accurate Rifle. “Armory” Model.

No. 414 Take-Down; .22 short or .22 L. R. Weight 8 lbs. Price \$28.75

Barrel — 26 inches, round.

Frame — Case-hardened.

Action — Plain lever, AUTOMATIC EJECTOR.

Stock — Walnut; shotgun butt with steel butt plate;

length 13 inches; drop 3 inches; long fore-end, large hand-hold. Fitted with strap loops.

Sights — Rocky Mountain front and Receiver rear sights, especially designed for this rifle. Special sights or any No. 1 or No. 3 Telescope fitted to order.

When ordering specify whether wanted for .22 short or .22 L. R.

19

STEVENS SINGLE SHOT RIFLES

www.368thfightergroup.com



TRADE MARK
— FAVORITE —
 Reg. U. S. Pat. Off. & Fgn.

Take-Down

Weight $4\frac{1}{2}$ lbs.

- | | | |
|---------------|--|----------------------|
| No. 27 | .22 L. R., .25 R. F. or .32 R. F. caliber; Full Octagon Barrel | Price \$13.50 |
| No. 17 | .22 L. R., .25 R. F. or .32 R. F. caliber; Round Barrel | Price \$12.50 |
| No. 20 | Smooth Bore for .22 or .32 SHOT Cartridges; Plain Extractor | Price \$12.50 |

Barrel — 24 inches.
 Frame — Blued.


Action — Plain lever; automatic ejector in .22 caliber only; plain extractor in other calibers.

Stock — Walnut; shotgun butt; rubber butt plate.

Sights — No. 203 Rocky Mountain front and No. 112 sporting rear sights. No. 20 fitted with shotgun front sight only. Any No. 1 or No. 3 Telescope can be fitted.

20

STEVENS SINGLE SHOT RIFLES



“Marksman”

- | | | |
|---------------|---|----------------------|
| No. 12 | Take-Down .22 L.R., 25 R.F. or .32 R.F. Caliber | Price \$10.50 |
| | Weight 4 lbs. | |

Barrel — 22 inches, round.

Frame — Blued.


Action — Plain lever; tip-up; positive extractor.

Stock — Walnut; full oval; rubber butt plate.

Sights — Bead front, open rear.

21

STEVENS SINGLE SHOT RIFLES



“Crack Shot”


No. 26 Take-Down .22 or .32-caliber Weight $3\frac{1}{4}$ lbs. Price \$8.00

18-inch round barrel; lever action; blued frame; turned stock; carbine butt plate; knife-blade front and open rear sights. Adapted for C. B. caps, .22 short, .22 long or .22 long rifle rim-fire cartridges.

No. 26½ Same as No. 26, but *smooth* bore for *shot* cartridges. Price \$8.00

22

STEVENS SINGLE SHOT RIFLES



www.368thfightergroup.com

“Little Scout”


“A REAL RIFLE IN SPITE OF THE PRICE”

No. 14½ Take-Down .22 caliber Weight $2\frac{3}{4}$ lbs. Price \$7.00

18-inch round barrel; case-hardened frame; blued steel butt plate; knife-blade front and open rear sights. Adapted for C. B. caps, .22 short, .22 long or .22 long rifle rim-fire cartridges.

23

STEVENS RIFLE TELESCOPES



A telescope adds to the pleasure

NO. 1 STYLE


No. 73 Power 3-diam. Length 21 inches. Tube Diam. $\frac{3}{4}$ inch. No. 1 Mount. For No. 70 Stevens or 1906 Winchester Rifle.....Price Complete **\$13.50**

Universal Focus. Eye Relief 5 inches. Field at 100 yds. is 14 ft.

In all STEVENS Telescopes the field of vision is clearly defined to the extreme edge.

24

STEVENS RIFLE TELESCOPES



These telescopes can be easily mounted by anyone.

A Fine Telescope

At a Low Price

NO. 1 STYLE

No.	Power	Length	Tube Diam.	Mount	Field at 100 yds.	Price Complete
141	3½-diam.	26, 28, 30, 32 inches	$\frac{3}{4}$ inch	No. 1	18 ft.	\$12.00
161	6 -diam.	26, 28, 30, 32 inches	$\frac{3}{4}$ inch	No. 1	12 ft.	13.50


Can be used on any single shot or repeating rifle of any make.

No. 1 Style telescopes have adjustment for focusing.

When ordering give make, model, caliber and length of barrel for which telescope is wanted.

25

STEVENS RIFLE TELESCOPES



Easily dismantled to permit of use of regular sights.

A High Grade Telescope
At a Moderate Price

NO. 3 STYLE

No.	Power	Length	Tube Diameter	Mount	Field at 100 yds.	Price Complete
388	8 -diam.	20 inches	3/4 inch	No. 8	16 ft.	\$23.50
368	6 -diam.	16 or 19 inches	3/4 inch	No. 8	18 ft.	20.00
338	3 1/2 -diam.	17 or 19 inches	3/4 inch	No. 8	20 ft.	16.00
438	3 1/2 -diam.	14 or 19 inches	3/4 inch	No. 8	23 ft.	18.00

Furnished to fit any Single Shot or Repeating Rifle of any make. Extra charge of \$3.00 for fitting to other makes than Stevens Rifles.


No. 438 affords unusual brilliancy in exceptionally large field.

All No. 3 Style have adjustment for distance focusing. Also adjustment for focusing and leveling cross-hairs. Nos. 368 and 488 have also adjustment for focusing and leveling cross-hairs.


When ordering give make, model, caliber and length of barrel for which telescope is wanted.

26


STEVENS TELESCOPE MOUNTS




Front



Rear



Front



Rear

A PERFECT MOUNT

A GOOD RELIABLE MOUNT
Expanding Base


No. 8 Mounts Complete, per set \$7.50
Dovetail Blocks, per pair..... 1.25

No. 1 Mounts Complete, per set..... \$5.00

Mounts included with dovetail blocks on complete telescopes.
For telescopes without mounts, deduct one-half of the price of mounts.

27

CLEANING RODS



No. 58A	One dozen in a box; assorted $\frac{1}{4}$ dozen each 508, 508 $\frac{1}{2}$ and $\frac{1}{2}$ dozen 509 Per Box	\$1.25
No. 1022	Twisted galvanized wire; pure bristle brush; extreme length 12 inches; .22 caliber . . . Each	.15
No. 508	Twisted galvanized wire; pure bristle brush; length 6 to 8 inches; .22 caliber Each	.15
No. 508 $\frac{1}{2}$	Same as No. 508, except .32 caliber Each	.15
No. 509	Same as No. 508, except .38 caliber Each	.15
No. 503	Two-piece coppered rod, $\frac{1}{8}$ inch, one end flatted and slotted; 5-32 inch handle, 9 inches long; total length 26 inches; .22 caliber Each	.15
No. 505	Twisted coppered wire; ringed handle; pure bristle brush; length 27 inches; .22 caliber Each	.15
No. 506	Same as No. 505, except .32 caliber Each	.15
No. 507	Same as No. 505, except .38 caliber Each	.15
No. 605	Twisted coppered wire; ringed handle; fine brass wire brush; length 27 inches; .22 caliber Each	.20
No. 606	Same as No. 605, but for .25, .30 or .32 caliber Each	.20
No. 607	Same as No. 605, but for .35 or .38 caliber . Each	.20
No. 530	Brass rod, 3-16 inch, slotted and notched; swivel handle; length 32 inches; .22, .25 or .32 caliber. Tapped for Nos. 560 and 570 tips Each	.60
No. 540	Four-piece brass rod, 3-16 inch, slotted and notched; swivel handle; jointed and tapped for Nos. 560, 570 and 580 tips; length 32 inches; .22, .25, .30 or .32 caliber. Packed one in a heavy cloth bag Each	.75
No. 560	Bristle tip to fit No. 517 or No. 540 rods; .22, .25, .30, .32, .33, .38 or .44 caliber Each	.15
No. 570	Brass wire bristle tip to fit No. 517 or No. 540 rods; .22, .25, .30, .32, .33, .38 or .44 caliber Each	.25
No. 580	Brass wire bristle tip $7\frac{1}{4}$ inches over all, with female thread, to fit No. 520 or No. 540 rods; .22, .30, .32 or .38 caliber Each	.50

STEVENS FIREARMS

FOR EXPORT

The line of STEVENS Firearms embraces a wide variety suitable to the demands in every country throughout the world. Our facilities for satisfactory service are unsurpassed. We carry on hand a heavy stock from which to fill orders promptly. Our production capacity is unequalled. Experienced and expert packing insures safe carriage over-seas and in mountainous countries. Correspondence is conducted promptly in all commercial languages. There is frequent steamship service, New York to all countries.

All STEVENS Firearms bear our name or trade-mark, which is a guarantee of excellent quality.

TRADE MARK

STEVENS

REG. U. S. PAT. OFF. & FGN.

J. STEVENS ARMS COMPANY
Export Office, 50 Church St., New York, U. S. A.

REVISED LIST PRICES

Please note the following prices applying to this catalog. J. STEVENS ARMS COMPANY.

Page	2, No. 522	Gun	\$72.50
"	3, No. 520	"	43.50
"	4, No. 335	"	32.40
"	5, No. 345	"	36.00
"	6, No. 235	"	27.65
"	7, No. 315	"	23.00
"	8, No. 215	"	20.00
"	9, No. 10	Pistol	14.75
"	10, No. 183	Gun	Void
"	11, No. 181	"	Void
"	12, No. 125	"	15.00
"	13, No. 115	"	13.25
"	14, No. 105	"	11.00
"	14, No. 107	"	11.50
"	15, No. 106	"	11.00
"	15, No. 108	"	11.50
"	16, No. 85	"	13.25
"	16, No. 89	"	13.75
"	17, No. 70	Rifle	15.00
"	18, No. 44	"	21.00
"	19, No. 414	"	23.50
"	20, No. 27	"	10.50
"	20, No. 17-20	"	9.85
"	21, No. 12	"	8.65
"	22, No. 26-26 $\frac{1}{2}$	"	6.85
"	23, No. 14 $\frac{1}{2}$	"	5.40
"	24 - 32, Telescopes & Rods	No Change	

TRADE-MARK

STEVENS

REG. U. S. PAT. OFF. & FGN.



FOR
METAL
OR
WOOD
SURFACES

CLEANS
LUBRICATES
PREVENTS
RUST

GUN GREASE

15c PER TUBE